Asthma Hospitalizations (Children) (Age 0-17)

> **Asthma Hospitalizations (Children) (Age 0-17)**
> •Most recent data (2014): 123.2 hospitalizations per 100,000, including 529 admissions.
> •Trend over time: 2000-03: falling; 2003-14: flat
> •Healthy People 2020 Goal: None listed for this indicator.

Asthma hospitalizations (children) (age 0-17), King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (age 0-17)	134.6	129.7	139.7	567
AGE				
0-4	283.0	269.8	296.7	344
5-9	133.4	124.2	143.1	156
10-14	45.6	40.2	51.5	51
15-17	22.0	17.4	27.5	15
GENDER				
Male	159.8	152.3	167.5	344
Female	108.3	102.0	114.8	223
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	169.5	146.9	194.5	40
Medium	143.9	138.1	149.9	466
Low	78.3	69.5	87.8	58
REGION				
East	92.6	85.2	100.5	116
North	162.2	143.6	182.6	55
Seattle	222.8	209.1	237.2	196
South	114.9	107.9	122.2	201
STATE				
Washington State	94.6	92.4	96.7	1493

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Asthma hospitalizations (children) (age 0-17)
King County, 2010-2014 average

Category	Rate
King County	134.6
Age 0-4	283.0
5-9	133.4
10-14	45.6
15-17	22.0
Male	159.8
Female	108.3
High Poverty	169.5
Medium	143.9
Low	78.3
East	92.6
North	162.2
Seattle	222.8
South	114.9
Washington State	94.6

Rate^

Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|------| Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.
§ Too few cases to meet precision standard, interpret with caution.
Data by race/ethnicity not available.
Poverty = Neighborhood poverty levels defined by median household income.

Asthma hospitalizations (children) (age 0-17) by zip codes
King County, 2010-2014 average

^Rate
- 206.5-310.0
- 148.9-206.5
- 108.9-148.9
- 75.8-108.9
- 24.5-75.8
- Too few cases to report

Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Asthma hospitalizations (children) (age 0-17)
King County, 2000-2014, three-year rolling averages

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-03: falling; 2003-14: flat); East KC (2000-14: flat); North KC (2000-14: flat);
    Seattle (2000-03: falling; 2003-14: flat); South KC (2000-14: falling); Washington State (2000-14: falling)
Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.